

ROOMAG DP™

(Dusting Powder)

An Effective Treatment in Myiasis and General Wound

Wounds and Myiasis is a common problem in animals and must be taken care of on top priority, or it will lead to great distress and fatal to the animal.

Roomag DP a potent dusting powder for treatment of Myiasis and Wound dressing .

Composition:	Each Gram contains-
Permethrin	2% w/w
Sulphanilamide B.P	5% w/w
Zinc oxide I.P	2% w/w
Excipients	Qs

INDICATIONS:

- Wound infected by Biting Flies.
- Wound infested with Maggots.
- Surgical wounds following De horning, Castration, Cutting of naval cord after birth or any other surgical operation.
- Wound due to FMD, especially in the Hoofs.
- Wound due to sharp object.
- Wound due to Accidents, Animal fights or Animal bites.



Roots™

ROOMAG DP

RooMag DP™

RooMag DP - A potent dusting powder for treatment of Myiasis and Wound healing.

Wounds & Myiasis are very common in dairy animals

Now Treat it Smartly



Composition:

Each Gram contains -	
Permethrin	2% w/w
Sulphanilamide B.P	5% w/w
Zinc oxide I.P	2% w/w
Excipients	Qs



Advantages :

- Antibacterial: Because RooMag DP contains Sulphanilamide.
- Potent Maggotocidal and Fly repellent: as Permethrin has excellent efficacy against insects (Maggots and Fly).
- Promotes tissue granulation: The Zinc plays an ideal role for tissue granulation and leads to faster healing of wounds.
- Non staining, Non Greasy, Ready to use powder.
- Can be mixed with oil to make a paste or suspension for dressing of deep seated wounds.

Directions for Use :

Clean the wound and the surrounding area properly and then dust the wound with RooMag DP powder so as to cover the wound. The treatment with RooMag DP powder should be repeated twice daily, until healing is complete.

Precaution :

RooMag DP powder is for external use only.
Not Recommended in Cats.



Pack : 30 gm bottle

Indications :

- Wound infected by Biting Flies.
- Wound infected with Maggots.
- Surgical wounds following De homing, Castration, Cutting of naval cord after birth or any other surgical operation.
- Wound due to FMD, especially in the Hoofs.
- Wound due to sharp object.
- Wound due to Accidents, Animal fights or Animal bites.